

Pu

,



' (M

| Background: , , , , , AVAHAN, , , , , , , , , , , & , , , , , , , , |
|--|
| $\mathbf{r}_{1} = \mathbf{r}_{1} + \mathbf{r}_{2} + \mathbf{r}_{1} + \mathbf{r}_{2} $ |
| , , , (, t, ,), , , , , , , , , , , , , , , , |
| |
| Methods: $(\cdot, \cdot, \cdot$ |
| $(\mathbf{r} + \mathbf{r}) = (\mathbf{r} + \mathbf{r}) + (\mathbf{r} + \mathbf{r}$ |
| so soons the horizon to be a special source is a solution of the second solution of the sec |
| and an analy in a second of the second of th |
| Results: , , , , , , , , , , , , , , , , , , , |
| ν γ, ι 🔥 γ, ν το γ, γ, γ, γ, ν 🔥 (1.43%) γ Herpes simplex 🖬 γ-2 (🍒 -2) (16.3%). γ γ γ γ |
| , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| $(x_1, y_2, y_3, y_4, y_1, y_2, y_3, y_4, y_4, y_4, y_4, y_4, y_4, y_4, y_4$ |
| , , , , , , , , , , (0.0%) , → -2 (10. %) , , , , , , , , , , , , , , , , , , |
| (. <u>2.44, 5%</u> , 1.15- |
| 5.17). $(\land $ |
| $(1.22, 5\%, 1.42^{-1.4}, 30^{-34}, -15.15, 5\%, 1.07^{-103.1})$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $(10 5\% 535_{2}57) = (10 5\% 535_{2}57)$ |
| (-0.27, 5%, 0.0, -0.7) |
| Conclusion: |
| |
| |
| |
| |
| |

the lotter

| 22 , .2- | ·2, 1 | .2.2,. | 2 | : | .2, .2, .2 | 2 | | | |
|------------|-------|--------|-------|-----------|------------|-------|-------|-------|-------|
| <i>i</i> | Age | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | Total |
| , - T | | | | | | | | | |
| . / 0.0001 | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| | Ν | Belgaum (N=502) % (95% Cl) | Bellary (N=475) % (95% Cl) | Mysore (N=436) % (95% CI) | P-value ^{\$} |
|------------------|------|----------------------------|----------------------------|---------------------------|-----------------------|
| | 652 | 7.54 (3. 1-11.17) | 10.10 (7.15-13.05) | .56 (4.0 -15.03) | 0.406 |
| • , | 322 | 4.00 (0.55-7.45) | 6.37 (1.4 -11.24) | 7. (1. 7-13.) | 0.31 |
| • L I , , | 330 | 11.53 (5.67-17.3) | 13.33 (6. 2-1 . 5) | 11.01 (4.12-17.) | 0.35 |
| | 761 | 1 . 7 (13. 7-25. 7) | 12.31 (.66-15. 6) | 11. 0 (5.5 -1 .03) | 0.452 |
| , | 367 | 11.43 (4.1 -1 .6) | 7.37 (2.27-12.47) | .64 (2.66-16.63) | 0.34 |
| 1. | 34 | 27. 6 (17.10-3 . 3) | 17.0 (11.3 -22. 0) | 13. 3 (3.24-24.41) | 0.431 |
| | 1413 | 16. 3 (12.25-21.61) | 11.3 (. 3-13. 2) | 10. (6.54-15.23) | 0. 2 |
| , | 6 | .55 (4.0 -15.01) | 6. 6 (3.51-10.41) | . 7 (4.56-14.0) | 0.601 |
| , , | 724 | 24.2 (16.37-32.20) | 15.46 (11.25-1 .66) | 12.67 (6.12-1 .21) | 0.707 |

. ،2 کر ، ،2 م محمد محمد محمد محمد ،2 ، 2 م محمد محمد ،2 ، 2 م محمد محمد ، ،2 ، 2 م م محمد ، ،2 ، 200 - 200.

| Characteristic | HIV prevalence % (95% CI) | Crude OR (95% CI) N=6210 | Adjusted OR [*] (95% CI) N=6210 | P-value |
|------------------------|---------------------------|--------------------------|--|---------|
| Age ^{\$} | | | | |
| 15-1 | 0.2 (0.0-0.5) | 1.00 (,) | 1.00 () | |
| 20-24, | 0.60 (0.20-1.00) | 2.05 (0.5 -7.0) | 2.02 (0.5 -6.) | 0.260 |
| 25-2 | 1.13 (0.17-2.0) | 3. 7 (1.04-14.3) | 3.66 (013.4) | 0.051 |
| 30-34, | 1.5 (0.26-2. 0) | 5.45 (1.45-20.40) | 5.24 (1.44-1 .14) | 0.013 |
| 35-3 🔪 | 2. 0 (0.3 -5.23) | .7 (2.75-34.77) | .45 (2.5 -34.3) | 0.001 |
| 40-44, | 1.45 (0.21-2.6) | 5.00 (1.31-1 .04) | 4.57 (1.1 -17.61) | 0.02 |
| 45-4 🔪 | 1.1 (0.35-2.03) | 4.07 (1.20-13.77) | 3. 7 (1.13-13.30) | 0.032 |
| Undergone circumcision | | | | |
| No | 1.27 (0. 2-1.72) | 1.00 (,) | 1.00 (,) | |
| Yes | 0.46 (0.07-0. 6) | 0.36 (0.14-0. 2) | 0.33 (0.13-0. 1) | 0.016 |
| Ever paid for sex | | | | |
| No | 1.11 (0.72-1.51) | 1.00 (,) | 1.00 (,) | |
| Yes | 4.57 (0.24 0) | 4.26 (1.51-12.03) | 2.6 (07.34) | 0.055 |
| Ever had any STI | | | | |
| No | 1.11 (0.72-1.51) | 1.00 (,) | 1.00 (,) | |
| Yes | 3.13 (0.37-5.) | 2. 6 (1.10-7.42) | 2.44 (1.15-5.17) | 0.021 |

References

- References
 f
 f

 1.
 f
 Sex Transm Infect 2007,
- f. _ Trop Med Int Health 2000, 3-.
- ۴. f 1200 , 5-44, ... 5-44. · . a second and a second -
- 4.
- 1 2006, 7-1 ,... 7-1.
- 5. 2010. 6.
- // · 当 》,/、 · / · · · / , f.___ f _ AIDS 2007, 73 -747. 7.
- _ Ministry of Health and Family Welfare 2007, 1-16, . . 1-16.
- ______ AIDS 200 , ______ 117-125.
- K _ Sex Transm F

- AIDS