



1. Assessment of the effect of the intervention on the primary outcome of the study.

The study was conducted in a hospital setting. The intervention was delivered by a trained staff member. The study was conducted in a hospital setting. The intervention was delivered by a trained staff member. The study was conducted in a hospital setting. The intervention was delivered by a trained staff member.

Main heading

Objectives

The objectives of the study were to evaluate the effectiveness of the intervention in reducing the risk of infection.

The study was conducted in a hospital setting. The intervention was delivered by a trained staff member. The study was conducted in a hospital setting. The intervention was delivered by a trained staff member.

Study design and setting

The study was conducted in a hospital setting. The intervention was delivered by a trained staff member. The study was conducted in a hospital setting. The intervention was delivered by a trained staff member.

The study was conducted in a hospital setting. The intervention was delivered by a trained staff member. The study was conducted in a hospital setting. The intervention was delivered by a trained staff member.

The study was conducted in a hospital setting. The intervention was delivered by a trained staff member. The study was conducted in a hospital setting. The intervention was delivered by a trained staff member.

1. The 'PARTNER' ...
2. ...
3. ...
4. ...
5. ...
6. ...
7. ...
8. ...

Optimal Jamar
Dynamometer Handle Position to Assess Maximal Isometric Hand Grip
Strength in Epidemiological Studies. 37(11)

Cost of treating hypertension in Malaysia... 2(1)

Medium Term Strategic Plan To Further Strengthen
The Cardiovascular Diseases & Diabetes Prevention & Control Program
In Malaysia (2010-2014): Non-Communicable Disease Section, Disease
Control Division.

Effectiveness of community health workers in the care of
people with hypertension... 32(5)

Cellular phone and Internet-based individual
intervention on blood pressure and obesity in obese patients with
hypertension... 78(10)

Prevalence of Cardiovascular Disease Risk Factors in a Low Income
Urban Community in Kuala Lumpur, Malaysia.

Health care in Malaysia.

The Mentakab Hypertension Study project. Part II-Why
do hypertensives drop out of treatment? 32(4)

The
effectiveness of health coaching, home blood pressure monitoring, and
home-titration in controlling hypertension among low-income patients:
protocol for a randomized controlled trial.
9(1)

Interventions used
to improve control of blood pressure in patients with hypertension.
3(3)

Unexpected impact of changes in out-of-pocket
payments for health care on Czech household budgets.
107(2-3)

doi:10.1186/1471-2458-14-S3-S4

Cite this article as: The effectiveness of a life style
modification and peer support home blood pressure monitoring in
control of hypertension: protocol for a cluster randomized controlled
trial. 14

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution